Physica C 184 (1991) 403–405
North-Holland

PHYSICA C

Author Index to Volume 184

Almasan, C.C., see M.C. de Andrade **184**, 378
Andres, K., see K. Schönmann **184**, 41
Aomine, T., see T. Fukami **184**, 65
Arribére, A., see J. Yazyi **184**, 254
Arrouy, F., C. Cros, G. Demazeau, O. Schulte and W.B. Holzapfel, Pressure induced structural transition T′→T in $La_{1.4}Nd_{0.6}CuO_4$ **184**, 74
Asayama, K., see K. Fujiwara **184**, 207

Bajorek, A., see Z. Tomkowicz **184**, 244
Bałanda, M., see Z. Tomkowicz **184**, 244
Bando, Y., see Y. Iye **184**, 362
Barnes, C.L., see T.N. Blanton **184**, 119
Baughman, R.J., see B. Morosin **184**, 21
Bellouard, C., see I. Mirebeau **184**, 299
Benschop, F.J.M., W.T. Fu and W.J.A. Maaskant, Crystal structure of the superconductor $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ **184**, 311
Bianconi, A., see M. Pompa **184**, 51
Bianconi, A., see M. Pompa **184**, 102
Blanton, T.N., M. Lelental and C.L. Barnes, The use of X-ray diffraction rocking curve methodology for assessment of the c-axis orientation in Bi–Sr–Ca–Cu–O superconducting thin films **184**, 119
Bonville, P., see J.A. Hodges **184**, 259
Bonville, P., see J.A. Hodges **184**, 270
Bonville, P., see J.A. Hodges **184**, 283
Braun, H.F., see A. Gupta **184**, 393
Brosha, E.L., E. Sanchez, P.K. Davies, N.V. Coppa, A. Thomas and R. Salomon, Preparation of pure and chemically substituted $YBa_2Cu_4O_8$ via freeze-dried nitrates **184**, 353
Büchner, B., see V. Kataev **184**, 165
Budnick, J.I., see Z. Tan **184**, 229

Caignaert, V., see I. Mirebeau **184**, 299
Castello, D., see E. Nguyen **184**, 34
Castrucci, P., see M. Pompa **184**, 102
Chang, D., see Q.G. He **184**, 295
Chang, K.J., see C.H. Park **184**, 81
Cheng, S.C., S.S. Sheinin, J. Jung, M.K. Yu and J.P. Franck, Determination of the displacement vector at twin boundaries in pure and Fe-doped YBCO superconductors using diffraction contrast **184**, 385
Cheong, S.-W., see Z. Tan **184**, 229
Chmist, J., see A. Kozłowski **184**, 113
Chu, C.W., see Z.J. Huang **184**, 371
Chu, W.K., see Y.J. Zhao **184**, 144
Cohen, M.L., see N. Kijima **184**, 127
Congiu Castellano, A., see M. Pompa **184**, 51
Cooper, A.S., see Z. Tan **184**, 229
Coppa, N.V., see E.L. Brosha **184**, 353
Corkill, J.L., see N. Kijima **184**, 127
Cros, C., see F. Arrouy **184**, 74

Dalichaouch, Y., see M.C. de Andrade **184**, 378
Däumling, M., Critical current density in quenched oxygen deficient $YBa_2Cu_3O_{7-\delta}$ **184**, 13
Davies, P.K., see E.L. Brosha **184**, 353
Davis, M.F., see Y.J. Zhao **184**, 144
De Andrade, M.C., C.C. Almasan, Y. Dalichaouch and M.B. Maple, Anomalies in the irreversibility line and upper critical field of the electron-doped superconductor $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ **184**, 378
Debray, P., see J.A. Hodges **184**, 270
De la Cruz, F., see J. Yazyi **184**, 254
Della Longa, S., see M. Pompa **184**, 51
Della Longa, S., see M. Pompa **184**, 102
Demazeau, G., see F. Arrouy **184**, 74
Deshmukh, S.C., see Y.J. Zhao **184**, 144
Dianoux, A.J., see I. Mirebeau **184**, 299
Dossmann, Y., see R. Kuentzler **184**, 316
Drillon, M., see R. Kuentzler **184**, 316
Durán, C., see J. Yazyi **184**, 254

Early, E.A., see S.T. Weir **184**, 1
Economou, D.J., see Y.J. Zhao **184**, 144
Eibl, O., Imaging of Cu and O vacancies in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ by high-resolution TEM **184**, 93
El Farsi, R., see R. Kuentzler **184**, 316
Eschwei, M., see Q.G. He **184**, 295
Esquinazi, P., see A. Gupta **184**, 393
Evetts, J.E., see J.L. MacManus **184**, 172

Feng, H.H., see Z.J. Huang **184**, 371
Flank, A.-M., see M. Pompa **184**, 102
Flank, A.M., see M. Pompa **184**, 51
Fontcuberta, J., see E. Nguyen **184**, 34
Franck, J.P., see S.C. Cheng **184**, 385
Fray, D.J., see J.L. MacManus **184**, 172
Fu, W.T., see F.J.M. Benschop **184**, 311
Fujiwara, K., Y. Kitaoka, K. Ishida, K. Asayama, Y. Shimakawa, T. Manako and Y. Kubo, NMR and NQR studies of superconductivity in heavily doped $Tl_2Ba_2CuO_{6+y}$ with a single CuO_2 plane **184**, 207
Fukami, T., K. Hayashi, T. Yamamoto, T. Nishizaki, Y. Horie, F. Ichikawa, T. Aomine, V. Soares and L. Rinderer, Temperature dependence of activation energy due to intrinsic pinning for flux lines in $(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$ films **184**, 65

Greenblatt, M., see M.-H. Pan **184**, 235
Gronsky, R., see N. Kijima **184**, 127
Gu, D.X., see Y. Xin **184**, 185
Gupta, A., P. Esquinazi and H.F. Braun, Role of granularity in thermally activated depinning **184**, 393

Hayashi, K., see T. Fukami **184**, 65
He, Q.G., F. Lin, D. Chang, M. Eschwei and W.C. Wang, Transforming non-superconducting, tetragonal phase YBaCuO films into superconductors by ion implantation **184**, 295
Heald, S.M., see Z. Tan **184**, 229
Hennion, M., see I. Mirebeau **184**, 299
Hodges, J.A., P. Bonville, P. Imbert and G. Jéhanno, Cu(2) magnetic correlations in $YBa_2Cu_3O_x$ studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$. I. $^{170}Yb^{3+}$ hyperfine parameters ($x \simeq 7.0$) and static properties of the Cu(2) derived molecular field ($x \simeq 6.0$) **184**, 259
Hodges, J.A., P. Bonville, P. Imbert, G. Jéhanno and P. Debray, Cu(2) magnetic correlations in $YBa_2Cu_3O_x$ ($6.0 \lesssim x \lesssim 7.0$) studied by Mössbauer spectroscopy on substituted $^{170}Yb^{3+}$. II. Dynamic properties **184**, 270
Hodges, J.A., P. Bonville, P. Imbert and G. Jéhanno, Single ion properties of Er^{3+} in $YBa_2Cu_3O_x$ and Er^{3+} ordering arrangement in $ErBa_2Cu_3O_x$ ($x \simeq 7.0$ and 6.0) studied by ^{166}Er Mössbauer spectroscopy **184**, 283
Holzapfel, W.B., see F. Arrouy **184**, 74
Horie, Y., see T. Fukami **184**, 65
Hornick, C., see R. Kuentzler **184**, 316
Huang, Z.J., Y.Y. Xue, H.H. Feng and C.W. Chu, The $E-J$ characteristic of $YBa_2Cu_3O_{7-\delta}$ in a very low dissipation region **184**, 371
Hwang, H.Y., see Z. Tan **184**, 229

Ichikawa, F., see T. Fukami **184**, 65
Imbert, P., see J.A. Hodges **184**, 259
Imbert, P., see J.A. Hodges **184**, 270
Imbert, P., see J.A. Hodges **184**, 283
Ishida, K., see K. Fujiwara **184**, 207
Iye, Y., T. Terashima and Y. Bando, Intrinsic pinning and dissipation at high current density in epitaxial thin films of $YBa_2Cu_2O_{7-y}$ **184**, 362

Jaggi, N.K., see S.F. Wahid **184**, 88
Jéhanno, G., see J.A. Hodges **184**, 259
Jéhanno, G., see J.A. Hodges **184**, 270
Jéhanno, G., see J.A. Hodges **184**, 283
Jéhanno, G., see I. Mirebeau **184**, 299
Jung, J., see S.C. Cheng **184**, 385

Kak, S.K., see D. Pandey **184**, 135
Kapitulnik, A., see J. Yazyi **184**, 254
Kataev, V., N. Knauf, B. Büchner and D. Wohlleben, Inter- and intragranular effects in microwave absorption of $(Bi, Pb)_2Sr_2Ca_2Cu_3O_y$ **184**, 165
Katayama-Yoshida, H., see M. Pompa **184**, 102
Kijima, N., R. Gronsky, X.-D. Xiang, W.A. Vareka, A. Zettl, J.L. Corkill and M.L. Cohen, Crystal structure of stage-2 iodine-intercalated superconducting $IBi_4Sr_4Ca_2Cu_4O_x$ **184**, 127
Kikuchi, M., see S.T. Weir **184**, 1
Kitaoka, Y., see K. Fujiwara **184**, 207
Knauf, N., see V. Kataev **184**, 165
Koblischka, M.R., see V, Skumryev **184**, 332
Kołodziejczyk, A., see A. Kozłowski **184**, 113
Kozłowski, A., Z. Tarnawski, A. Kołodziejczyk, J. Chmist, T. Ściężor and R. Zalecki, Specific heat of a high-temperature superconductor: $DyBa_2Cu_3O_7$ **184**, 113
Kronmüller, H., see V. Skumryev **184**, 332
Kubo, Y., see K. Fujiwara **184**, 207
Kuentzler, R., C. Hornick, Y. Dossmann, S. Wegner, R. El Farsi and M. Drillon, Superconductivity of Pb, K and Rb-doped $BaBiO_3$ **184**, 316
Kwasnitza, K. and Ch. Widmer, Strong magnetic history dependence of magnetic relaxation in high-T_c superconductors **184**, 341

Labdi, S., see H. Raffy **184**, 159
Laborde, O., see H. Raffy **184**, 159
Lagarde, P., see M. Pompa **184**, 51
Lagarde, P., see M. Pompa **184**, 102
Lebrat, J.-P. and A. Varma, Combustion synthesis of the $YBa_2Cu_3O_{7-x}$ superconductor **184**, 220
Lelental, M., see T.N. Blanton **184**, 119
Li, C., see M. Pompa **184**, 51
Li, C., see M. Pompa **184**, 102
Li, Y.F., see Y. Xin **184**, 185
Lin, F., see Q.G. He **184**, 295
Loy, D., see B. Morosin **184**, 21

Maaskant, W.J.A., see F.J.M. Benschop **184**, 311
MacManus, J.L., D.J. Fray and J.E. Evetts, Fluorination of $Y_1Ba_2Cu_3O_{7-x}$ by a solid state electrochemical method **184**, 172
Mahesh, R., see D. Pandey **184**, 135
Manako, T., see K. Fujiwara **184**, 207
Maple, M.B., see S.T. Weir **184**, 1
Maple, M.B., see M.C. de Andrade **184**, 378
McGuire, A., see Y.J. Zhao **184**, 144
Mirebeau, I., C. Bellouard, M. Hennion, G. Jéhanno, V. Caignaert, A.J. Dianoux, T.E. Phillips and K. Moorjani, Coexistence of antiferromagnetic order and spin glass freezing in $YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$ **184**, 299
Mitzi, D.B., see J. Yazyi **184**, 254
Monceau, P., see H. Raffy **184**, 159
Moorjani, K., see I. Mirebeau **184**, 299
Morosin, B., P.P. Newcomer, R.J. Baughman, E.L. Venturini, D. Loy and J.E. Schirber, On the "orthorhombic form of C_{60}". Molecular crystals containing CS_2 **184**, 21

Nagaev, K.E., Theory of excess noise in superconductors above T_c **184**, 149
Nellis, W.J., see S.T. Weir **184**, 1
Newcomer, P.P., see B. Morosin **184**, 21

Nguyen, E., D. Castello, J. Fontcuberta and X. Obradors, High frequency diamagnetic screening in $EuBa_2Cu_3O_7$ ceramics **184**, 34
Nishizaki, T., see T. Fukami **184**, 65

Obradors, X., see E. Nguyen **184**, 34

Pan, M.-H. and M. Greenblatt, Synthesis, structure and transport properties in the superconducting $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ system **184**, 235
Pandey, D., R. Mahesh, A.K. Singh, V.S. Tiwari and S.K. Kak, Preparation of nearly single phase 2223 in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ composition by a semi-wet route using $Pb_{0.2}SrCa(CO_3)_{2.2}$ precursor **184**, 135
Paracchini, C. and L. Romanó, Ohmic–non-ohmic characteristics in YBCO single crystals **184**, 29
Park, C.H. and K.J. Chang, Electronic pairing mechanism and superconducting gap in high-T_c superconductors **184**, 81
Paulikas, A.P., see B.W. Veal **184**, 321
Pederson, D.O., see Y. Xin **184**, 185
Phillips, T.E., see I. Mirebeau **184**, 299
Pompa, M., C. Li, A. Bianconi, A. Congiu Castellano, S. Della Longa, A.M. Flank, P. Lagarde and D. Udron, Full multiple scattering analysis of linearly polarized Cu L_3-edge XANES of La_2CuO_4 **184**, 51
Pompa, M., P. Castrucci, C. Li, D. Udron, A.-M. Flank, P. Lagarde, H. Katayama-Yoshida, S. Della Longa and A. Bianconi, On the orbital angular momentum of Cu 3d hole states in superconducting $La_{2-x}Sr_xCuO_4$ **184**, 102
Przewoźnik, J., see Z. Tomkowicz **184**, 244

Qi, M., see Z.F. Ren **184**, 24

Raffy, H., S. Labdi, O. Laborde and P. Monceau, Scaling of the mixed state magnetoresistance of high-T_c superconductors in terms of two-dimensional superconducting fluctuations **184**, 159
Ren, Z.F., M. Qi and J.H. Wang, Enhancement of critical current density in Tl–Ba–Ca–Cu–O type superconductors by the addition of SnO_2 **184**, 24
Rinderer, L., see T. Fukami **184**, 65
Romanó, L., see C. Paracchini **184**, 29

Salomon, R., see E.L. Brosha **184**, 353
Sanchez, E., see E.L. Brosha **184**, 353
Schirber, J.E., see B. Morosin **184**, 21
Schönmann, K., B. Seebacher and K. Andres, *a–b* anisotropy properties of millimeter-sized monodomain $YBa_2Cu_3O_{7-x}$ single crystals **184**, 41
Schulte, O., see F. Arrouy **184**, 74
Ścięžor, T., see A. Kozłowski **184**, 113
Seaman, C.L., see S.T. Weir **184**, 1
Seebacher, B., see K. Schönmann **184**, 41
Sheinin, S.S., see S.C. Cheng **184**, 385
Sheng, Z.Z., see Y. Xin **184**, 185
Shimakawa, Y., see K. Fujiwara **184**, 207
Singh, A.K., see D. Pandey **184**, 135
Skumryev, V., M.R. Koblischka and H. Kronmüller, Sample size dependence of the AC-susceptibility of sintered $YBa_2Cu_3O_{7-\delta}$ superconductors **184**, 332
Soares, V., see T. Fukami **184**, 65
Syono, Y., see S.T. Weir **184**, 1
Szytuła, A., see Z. Tomkowicz **184**, 244

Tan, Z., S.M. Heald, S.-W. Cheong, H.Y. Hwang, A.S. Cooper and J.I. Budnick, Cation ordering and oxygen stoichiometry in $LaRSrCu_2O_{6+\delta}$ (R = La, Pr, Nd, Sm and Gd) **184**, 229
Tarnawski, Z., see A. Kozłowski **184**, 113
Terashima, T., see Y. Iye **184**, 362
Thomas, A., see E.L. Brosha **184**, 353
Tiwari, V.S., see D. Pandey **184**, 135
Tomkowicz, Z., J. Żukrowski, J. Przewoźnik, A. Szytuła, M. Bałanda and A. Bajorek, Mössbauer study of $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ in the aspect of superconductivity absence **184**, 244

Udron, D., see M. Pompa **184**, 51
Udron, D., see M. Pompa **184**, 102

Vareka, W.A., see N. Kijima **184**, 127
Varma, A., see J.-P. Lebrat **184**, 220
Veal, B.W. and A.P. Paulikas, Dependence of hole concentration on oxygen vacancy order in $YBa_2Cu_3O_{7-\delta}$. A chemical valence model **184**, 321
Venturini, E.L., see B. Morosin **184**, 21

Wahid, S.F. and N.K. Jaggi, Analytic solution of a generalized critical state model of type II superconductors **184**, 88
Wang, J.H., see Z.F. Ren **184**, 24
Wang, W.C., see Q.G. He **184**, 295
Wegner, S., see R. Kuentzler **184**, 316
Weir, S.T., W.J. Nellis, C.L. Seaman, E.A. Early, M.B. Maple, M. Kikuchi and Y. Syono, Shock consolidation of crystallographically aligned $Bi_2Sr_2CaCu_2O_8$ powders **184**, 1
Widmer, Ch., see K. Kwasnitza **184**, 341
Wohlleben, D., see V. Kataev **184**, 165
Wolfe, J.C., see Y.J. Zhao **184**, 144

Xiang, X.-D., see N. Kijima **184**, 127
Xin, Y., Y.F. Li, D.X. Gu, D.O. Pederson and Z.Z. Sheng, Optimum preparation and elemental addition for Tl-based 2223 phase $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ **184**, 185
Xue, Y.Y., see Z.J. Huang **184**, 371

Yamamoto, T., see T. Fukami **184**, 65
Yazyi, J., A. Arribére, C. Durán, F. de la Cruz, D.B. Mitzi and A. Kapitulnik, Inter- and intraplane softening of the vortex structure in $Bi_{2.1}Sr_{1.9}Ca_{0.9}Cu_2O_{8+\delta}$: a two-step transition **184**, 254
Yu, M.K., see S.C. Cheng **184**, 385

Zalecki, R., see A. Kozłowski **184**, 113
Zettl, A., see N. Kijima **184**, 127
Zhao, Y.J., W.K. Chu, M.F. Davis, J.C. Wolfe, S.C. Deshmukh, D.J. Economou and A. McGuire, Radiation damages and flux pinning in $YBa_2Cu_3O_7$ thin films **184**, 144
Żukrowski, J., see Z. Tomkowicz **184**, 244

Physica C 184 (1991) 407
North-Holland

PHYSICA C

Analytic Subject Index to Volume 184

AC susceptibility 34, 88, 332
AC-susceptibility of superconductors 165
Anisotropic superconductivity 159
Anisotropic superconductor 29, 41, 254
Antiferromagnetic order 259, 270, 283
–in $YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$ 299

Band structure 51
–of $La_{2-x}Sr_xCuO_4$ 102

Carrier concentration
–in $YBa_2Cu_3O_{7-\delta}$ 321
Cation ordering 229
Combustion 220
Critical current density 13, 65, 144, 165, 332, 362
–in $Bi_2Sr_2CaCu_2O_8$ 1
–in $DyBa_2Cu_3O_7$ 113
–in Tl–Ba–Ca–Cu–O 24
Critical phenomena 113
Critical state model 88, 341
Cu–O planes 159, 254
Current-voltage characteristics 29
Current–voltage characteristics 371
Cu-valence 321

Debye temperature 316
Defect structures 93
D-wave superconductor 207

Electrical resistivity 65, 135, 235, 378
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 185
Electronic structure
–of La_2CuO_4 51
–of $La_{2-x}Sr_xCuO_4$ 102
Eliashberg equations 81
Energy gap 81
EXAFS 229
Excess noise 149
Excitonic mechanism 81

Fluctuation effects 113, 149, 159
Fluorination 172
Flux creep 341, 371
Flux dynamics 34, 254, 393
Flux pinning 13, 65, 144, 362, 378, 393

Grain alignment (texturing) 1, 119
Granular superconductivity 34, 393

High pressure effect 74
HREM 385
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 93

Intercalation 127
Ion implantation 295
Irradiation effect 144
Irreversibility line 332, 371
–in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ 378
Isotope effect 81

Josephson effect 29

Lattice parameters 127, 172, 295
–of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 311
Lower critical field H_{c1} 41

Magnetic relaxation 341, 371
Magnetic susceptibility 235, 244
Magnetization 88
–of $YBa_2Cu_3O_{7-x}$ 41
Magnetoresistance 159, 362
Microwave absorption 165, 353
Mixed state 254
Mössbauer spectroscopy 299
–of $ErBa_2Cu_3O_x$ ($x \simeq 7.0$ and 6.0) 283
–of $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ 244
–of $YBa_2Cu_3O_x$ 259, 283
–of $YBa_2Cu_3O_x$ ($6.0 \lesssim x \lesssim 7.0$) 270

Neutron diffraction 299
Neutron scattering (inelastic) 299
NMR
–in $Tl_2Ba_2CuO_{6+y}$ 207
NQR 207

Oxygen stoichiometry 13
–in $LaRSrCu_2O_{6+\delta}$ (R = La, Pr, Nd, Sm and Gd) 229
–in $YBa_2Cu_3O_{7-\delta}$ 321

Pair breaking 149
Penetration depth 165
Phase diagram 254

Sample size dependence 332
Scanning tunneling microscopy 1
Specific heat
–in $BaBiO_3$ 316
Spin fluctuations 207, 259, 270
Spin-glass ordering 299
Spin–lattice relaxation time T_1 207
Structural phase transition
–in $La_{1.4}Nd_{0.6}CuO_4$ 74
Structure
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$ 93
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ 135
–of C_{60} 21
–of $IBi_4Sr_4Ca_2Cu_4O_x$ 127
–of $La_{1.4}Nd_{0.6}CuO_4$ 74
–of $Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$ 311
–of $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ 235
–of Tl–Ba–Ca–Cu–O 24
–of $Y_1Ba_2Cu_3O_{7-x}F_y$ 172
–of $YBa_2Cu_3O_{7-\delta}$ 385
–of YBaCuO 295
Substitution effects
–in $BaBiO_3$ 316
–in $PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$ 244
–in $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 185
–in $YBa_2Cu_4O_8$ 353
Synthesis
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$ 135
–of C_{60} 21
–of $Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$ 235
–of $Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$ 185
–of Tl–Ba–Ca–Cu–O 24
–of $YBa_2Cu_3O_{7-x}$ 220
–of $YBa_2Cu_4O_8$ 353
Synthesis mechanism 220

Thin films 144, 295, 362
–of Bi–Sr–Ca–Cu–O 119
–of $(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$ 65
Transmission electron microscopy 127
Twin boundaries 385

Upper critical field H_{c2}
–in $Sm_{1.85}Ce_{0.15}CuO_{4-y}$ 378

Weak links 165

X-ray absorption 51, 102
X-ray diffraction 119

Physica C 184 (1991) 409
North-Holland

PHYSICA C

Materials Index to Volume 184

$BaBiO_3$
–specific heat 316
–substitution effects 316
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10}$
–HREM 93
–structure 93
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_y$
–structure 135
–synthesis 135
$Bi_2Sr_2CaCu_2O_8$
–critical current density 1
Bi–Sr–Ca–Cu–O
–thin films 119

$DyBa_2Cu_3O_7$
–critical current density 113

$ErBa_2Cu_3O_x$
–Mössbauer spectroscopy 283

$IBi_4Sr_4Ca_2Cu_4O_x$
–structure 127

$La_{1.4}Nd_{0.6}CuO_4$
–structural phase transition 74
–structure 74
La_2CuO_4
–electronic structure 51
$La_{2-x}Sr_xCuO_4$
–band structure 102
–electronic structure 102
$LaRSrCu_2O_{6+\delta}$
–oxygen stoichiometry 229

$(Nd_{1-x}Ce_x)_2CuO_{4-\delta}$
–thin films 65

$Pb_2Sr_{2-x}La_xCu_2O_{6+\delta}$
–lattice parameters 311
–structure 311
$PrBa_2(Cu_{0.992}{}^{57}Fe_{0.008})_3O_{7-\delta}$
–Mössbauer spectroscopy 244
–substitution effects 244

$Sm_{1.85}Ce_{0.15}CuO_{4-y}$
–irreversibility line 378
–upper critical field H_{c2} 378

$Tl_{1-x}Bi_xSr_2CuO_{5\pm\delta}$
–structure 235
–synthesis 235
$Tl_2Ba_2Ca_2Cu_3O_{10-\delta}$
–electrical resistivity 185
–substitution effects 185
–synthesis 185
$Tl_2Ba_2CuO_{6+y}$
–NMR 207
Tl–Ba–Ca–Cu–O
–critical current density 24
–structure 24
–synthesis 24

$Y_1Ba_2Cu_3O_{7-x}F_y$
–structure 172
$YBa_2(Cu_{0.88}Fe_{0.12})_3O_{6.5}$
–antiferromagnetic order 299
$YBa_2Cu_3O_{7-\delta}$
–carrier concentration 321
–oxygen stoichiometry 321
–structure 385
$YBa_2Cu_3O_{7-x}$
–magnetization 41
–synthesis 220
$YBa_2Cu_3O_x$
–Mössbauer spectroscopy 259, 270, 283
$YBa_2Cu_4O_8$
–substitution effects 353
–synthesis 353
YBaCuO
–structure 295